

Case Number:	CM14-0148774		
Date Assigned:	09/18/2014	Date of Injury:	03/18/2011
Decision Date:	10/23/2014	UR Denial Date:	08/13/2014
Priority:	Standard	Application Received:	09/12/2014

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. The expert reviewer is Board Certified in Family Practice, and is licensed to practice in California. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/services. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

51 yr. old male claimant sustained a work injury on 3/18/11 involving the left shoulder and neck. He was diagnosed with a left shoulder labral tear and cervical radiculopathy. A progress note on 5/23/14 indicated the claimant had continued muscle spasms in the neck and shoulder. Exam findings were notable for reduced range of motion of the neck and reduced strength in the left upper extremity. He had stopped his Flexeril 7.5 mg BID recently and was advised to continue it as needed. A progress note on 7/28/14 indicated the claimant had continued spasms and 8/10 without medications. He was recommended to continue his anti-spasmodic- Flexeril 7.5 mg daily.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

Flexeril 7.5mg #30: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Cyclobenzaprine (Flexeril) Page(s): 41-42.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines muscle relaxants Page(s): 63.

Decision rationale: According to the MTUS Guidelines Cyclobenzaprine (Flexeril) is more effective than placebo for back pain. It is recommended for short course therapy and has the

greatest benefit in the first 4 days suggesting that shorter courses may be better. Those with fibromyalgia were 3 times more likely to report overall improvement, particularly sleep. Treatment should be brief. There is also a post-op use. The addition of cyclobenzaprine to other agents is not recommended. The claimant had been on Flexeril for a prolonged period without improvement in pain or function. Continued use is not medically necessary.