

Case Number:	CM14-0124890		
Date Assigned:	08/11/2014	Date of Injury:	10/05/1997
Decision Date:	10/30/2015	UR Denial Date:	07/28/2014
Priority:	Standard	Application Received:	08/07/2014

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:

State(s) of Licensure: California

Certification(s)/Specialty: Physical Medicine & Rehabilitation, Pain Management

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

The injured worker is a 52 year old male, who sustained an industrial injury on October 5, 1997, incurring injuries to the lower back. He was diagnosed with lumbar disc disease, lumbar sprain and lumbar spine radiculopathy. Treatment included physical therapy and home exercise program, narcotics, proton pump inhibitor, muscle relaxants, antianxiety medications, topical analgesic cream and restricted activities. Currently, the injured worker complained of low back pain and was diagnosed with a lumbar spine sprain with discopathy and left lower extremity radiculopathy. He was treated with pain medications, muscle relaxants, antianxiety medications and proton pump inhibitor for upset stomach. The injured worker was noted to have tenderness to palpation, limited range of motion and mild antalgic gait with positive straight leg raising. A progress report dated December 12, 2013 states that the medications "are helpful and keep him active." On July 28, 2014, the request for prescriptions of Nexium, Soma, Valium and Norco were all denied by utilization review. A urine drug screen performed March 6, 2014 is consistent with prescribed medications.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

Nexium 40mg #30: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Medical Treatment 2009.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Medical Treatment 2009, Section(s): NSAIDs, GI symptoms & cardiovascular risk. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) Pain Chapter, Proton Pump Inhibitors (PPIs).

Decision rationale: Regarding the request for Nexium (esomeprazole), California MTUS states that proton pump inhibitors are appropriate for the treatment of dyspepsia secondary to NSAID therapy or for patients at risk for gastrointestinal events with NSAID use. Additionally, ODG recommends Nexium, Protonix, Dexilant, and AcipHex for use as 2nd line agents, after failure of omeprazole or lansoprazole. Within the documentation available for review, there is no indication that the patient has complaints of dyspepsia secondary to NSAID use, a risk for gastrointestinal events with NSAID use, or another indication for this medication. Furthermore, there is no indication that the patient has failed first-line agents prior to initiating treatment with Nexium (a 2nd line proton pump inhibitor). In the absence of clarity regarding those issues, the currently requested Nexium (esomeprazole) is not medically necessary.

Soma 350mg #90: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Medical Treatment 2009.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Medical Treatment 2009, Section(s): Muscle relaxants (for pain).

Decision rationale: Regarding the request for Carisoprodol (Soma), Chronic Pain Medical Treatment Guidelines support the use of non-sedating muscle relaxants to be used with caution as a 2nd line option for the short-term treatment of acute exacerbations of pain. Guidelines go on to state that Soma specifically is not recommended for more than 2 to 3 weeks. Within the documentation available for review, there is no identification of a specific analgesic benefit or objective functional improvement as a result of the Carisoprodol. Additionally, it does not appear that this medication is being prescribed for the short-term treatment of an acute exacerbation, as recommended by guidelines. In the absence of such documentation, the currently requested Carisoprodol (Soma) is not medically necessary.

Valium 10mg #90: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Medical Treatment 2009.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Medical Treatment 2009, Section(s): Benzodiazepines. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) Chronic Pain Chapter, Benzodiazepines.

Decision rationale: Regarding the request for Valium (diazepam), Chronic Pain Medical Treatment Guidelines state the benzodiazepines are "Not recommended for long-term use because long-term efficacy is unproven and there is a risk of dependence. Most guidelines limit use to 4 weeks. Tolerance to anxiolytic effects occurs within months and long-term use may actually increase anxiety. A more appropriate treatment for anxiety disorder is an antidepressant." Within the documentation available for review, there is no documentation identifying any objective functional improvement as a result of the use of the medication and no rationale provided for long-term use of the medication despite the CA MTUS recommendation against long-term use. Benzodiazepines should not be abruptly discontinued, but unfortunately, there is no provision to modify the current request to allow tapering. In the absence of such documentation, the currently requested Valium (diazepam) is not medically necessary.

Norco 7.5/325Mmg, #360: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Medical Treatment 2009.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Medical Treatment 2009, Section(s): Opioids (Classification), Opioids, California Controlled Substance Utilization Review and Evaluation System (CURES) [DWC], Opioids, criteria for use, Opioids for chronic pain, Opioids for neuropathic pain, Opioids for osteoarthritis, Opioids, cancer pain vs. nonmalignant pain, Opioids, dealing with misuse & addiction, Opioids, differentiation: dependence & addiction, Opioids, dosing, Opioids, indicators for addiction, Opioids, long-term assessment.

Decision rationale: Regarding the request for Norco (hydrocodone/acetaminophen), California Pain Medical Treatment Guidelines state that this is an opiate pain medication. Due to high abuse potential, close follow-up is recommended with documentation of analgesic effect, objective functional improvement, side effects, and discussion regarding any aberrant use. Guidelines go on to recommend discontinuing opioids if there is no documentation of improved function and pain. Within the documentation available for review, there is no indication that the medication is improving the patient's function or pain (in terms of specific examples of functional improvement and percent reduction in pain or reduced NRS), no documentation regarding side effects, and no discussion regarding aberrant use. As such, there is no clear indication for ongoing use of the medication. Opioids should not be abruptly discontinued, but unfortunately, there is no provision to modify the current request to allow tapering. In light of the above issues, the currently requested Norco (hydrocodone/acetaminophen) is not medically necessary.