

Case Number:	CM15-0120327		
Date Assigned:	06/30/2015	Date of Injury:	06/15/2005
Decision Date:	10/07/2015	UR Denial Date:	05/22/2015
Priority:	Standard	Application Received:	06/22/2015

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:
 State(s) of Licensure: California
 Certification(s)/Specialty: Emergency Medicine

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

The injured worker is a 35 year old female, who sustained an industrial injury on 6/15/05. The diagnoses have included discogenic cervical condition, discogenic lumbar condition, carpal tunnel syndrome and chronic pain with depression. Treatment to date has included medications, activity modifications, off work, diagnostics, surgery, physical therapy, Currently, as per the physician progress note dated 5/7/15, the injured worker complains of low back and neck pain with headaches. The pain is unchanged and she continues to have flare-ups. She continues to work and go to school but reports that the medications allow her to be functional. The objective findings reveal tenderness along the cervical and lumbar paraspinal muscles bilaterally. The diagnostic testing that was performed included Magnetic Resonance Imaging (MRI) of the cervical spine, Magnetic Resonance Imaging (MRI) of the lumbar spine and electromyography (EMG) and nerve conduction velocity studies (NCV). The current medications included OxyContin, Oxycodone, Flexeril and Prilosec. The urine drug screen dated 12/9/14 was consistent with the medications prescribed. There is no previous diagnostic reports noted and no previous physical therapy sessions noted. The physician requested treatments included Consultation with neurologist, Cervical traction with air bladder, Pain Management referral, Four Lead Transcutaneous electrical nerve stimulation (TENS) unit and conductive garment, OxyContin 30mg quantity 90, Oxycodone 5mg quantity unspecified and Prilosec 20mg quantity 60.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

Consultation with neurologist: Upheld

Claims Administrator guideline: Decision based on MTUS Low Back Complaints 2004.

MAXIMUS guideline: The Expert Reviewer did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) Pain (chronic)/Office visits.

Decision rationale: The request is for a specialty consultation. The MTUS guidelines are silent regarding this issue. The ODG state the following: Recommended as determined to be medically necessary. Evaluation and management (E&M) outpatient visits to the offices of medical doctor(s) play a critical role in the proper diagnosis and return to function of an injured worker, and they should be encouraged. The need for a clinical office visit with a health care provider is individualized based upon a review of the patient concerns, signs and symptoms, clinical stability, and reasonable physician judgment. The determination is also based on what medications the patient is taking, since some medicines such as opiates, or medicines such as certain antibiotics, require close monitoring. As patient conditions are extremely varied, a set number of office visits per condition cannot be reasonably established. The determination of necessity for an office visit requires individualized case review and assessment, being ever mindful that the best patient outcomes are achieved with eventual patient independence from the health care system through self care as soon as clinically feasible. The ODG Codes for Automated Approval (CAA), designed to automate claims management decision-making, indicates the number of E&M office visits (codes 99201-99285) reflecting the typical number of E&M encounters for a diagnosis, but this is not intended to limit or cap the number of E&M encounters that are medically necessary for a particular patient. Office visits that exceed the number of office visits listed in the CAA may serve as a "flag" to payors for possible evaluation, however, payors should not automatically deny payment for these if preauthorization has not been obtained. Note: The high quality medical studies required for treatment guidelines such as ODG provides guidance about specific treatments and diagnostic procedures, but not about the recommended number of E&M office visits. Studies have and are being conducted as to the value of "virtual visits" compared with inpatient visits; however the value of patient/doctor interventions has not been questioned. (Dixon, 2008) (Wallace, 2004) Further, ODG does provide guidance for therapeutic office visits not included among the E&M codes, for example Chiropractic manipulation and Physical/Occupational therapy. See also Telehealth. In this case, the request is not confirmed. This is secondary to poor documentation as to the reasoning for the visit and consultation. The note states that it is for headaches associated with cervical pain but there is no mention of any significant change in her neurologic exam or red flags seen. Pending discussion of the findings seen requiring neurological evaluation, the request is not medically necessary.

Cervical traction with air bladder: Upheld

Claims Administrator guideline: The Claims Administrator did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines, Treatment in Workers' Compensation, Neck and Upper Back.

MAXIMUS guideline: The Expert Reviewer did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) Traction (mechanical)/Neck and Upper Back (Acute & Chronic).

Decision rationale: The request is for cervical traction to aid in pain relief. The Official Disability Guidelines state the following regarding this topic: Recommend home cervical patient controlled traction (using a seated over-the-door device or a supine device, which may be preferred due to greater forces), for patients with radicular symptoms, in conjunction with a home exercise program. Not recommend institutionally based powered traction devices. Several studies have demonstrated that home cervical traction can provide symptomatic relief in over 80% of patients with mild to moderately severe (Grade 3) cervical spinal syndromes with radiculopathy. (Aetna, 2004) (Olivero, 2002) (Joghataei, 2004) (Shakoor, 2002) Patients receiving intermittent traction performed significantly better than those assigned to the no traction group in terms of pain, forward flexion, right rotation and left rotation. (Zylbergold, 1985) Other studies have concluded there is limited documentation of efficacy of cervical traction beyond short-term pain reduction. In general, it would not be advisable to use these modalities beyond 2-3 weeks if signs of objective progress towards functional restoration are not demonstrated. (Kjellman, 1999) (Gross-Cochrane, 2002) (Aker, 1999) (Bigos, 1999) (Browder, 2004) This Cochrane review found no evidence from RCTs with a low potential for bias that clearly supports or refutes the use of either continuous or intermittent traction for neck disorders. In this case, the use of this product is not indicated based on the guidelines. This is secondary to power traction devices being not advised in lieu of home cervical patient controlled traction. As such, the request is not medically necessary.

Pain Management referral: Overturned

Claims Administrator guideline: Decision based on MTUS Low Back Complaints 2004.

MAXIMUS guideline: The Expert Reviewer did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) Pain (Chronic)/Office Visits.

Decision rationale: The request is for a pain management consultation. The MTUS guidelines do not address this issue specifically. The ODG state the following regarding this topic: Recommended as determined to be medically necessary. Evaluation and management (E&M) outpatient visits to the offices of medical doctor(s) play a critical role in the proper diagnosis and return to function of an injured worker, and they should be encouraged. The need for a clinical office visit with a health care provider is individualized based upon a review of the patient concerns, signs and symptoms, clinical stability, and reasonable physician judgment. The determination is also based on what medications the patient is taking, since some medicines such as opiates, or medicines such as certain antibiotics, require close monitoring. As patient conditions are extremely varied, a set number of office visits per condition cannot be reasonably

established. The determination of necessity for an office visit requires individualized case review and assessment, being ever mindful that the best patient outcomes are achieved with eventual patient independence from the health care system through self care as soon as clinically feasible. The ODG Codes for Automated Approval (CAA), designed to automate claims management decision-making, indicates the number of E&M office visits (codes 99201-99285) reflecting the typical number of E&M encounters for a diagnosis, but this is not intended to limit or cap the number of E&M encounters that are medically necessary for a particular patient. Office visits that exceed the number of office visits listed in the CAA may serve as a "flag" to payors for possible evaluation, however, payors should not automatically deny payment for these if preauthorization has not been obtained. Note: The high quality medical studies required for treatment guidelines such as ODG provides guidance about specific treatments and diagnostic procedures, but not about the recommended number of E&M office visits. Studies have and are being conducted as to the value of "virtual visits" compared with inpatient visits, however the value of patient/doctor interventions has not been questioned. (Dixon, 2008) (Wallace, 2004) Further, ODG does provide guidance for therapeutic office visits not included among the E&M codes, for example Chiropractic manipulation and Physical/Occupational therapy. See also Telehealth. In this case, the request is reasonable and supported by the documentation. The patient has chronic pain which justifies evaluation by a pain management specialist. As such, the request is medically necessary.

Four Lead TENS unit and conductive garment: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Medical Treatment 2009.

MAXIMUS guideline: Decision based on MTUS Neck and Upper Back Complaints 2004, Section(s): Initial Care.

Decision rationale: The request is for TENS unit use to aid in pain relief. The MTUS guidelines state the following regarding this topic: "There is no high-grade scientific evidence to support the effectiveness or ineffectiveness of passive physical modalities such as traction, heat/cold applications, massage, diathermy, cutaneous laser treatment, ultrasound, transcutaneous electrical neurostimulation (TENS) units, and biofeedback. These palliative tools may be used on a trial basis but should be monitored closely. Emphasis should focus on functional restoration and return of patients to activities of normal daily living". In this case, the request is not indicated. This is secondary to poor high-grade evidence to support its use. As such, the request is not medically necessary.

Oxycontin 30mg quantity 90: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Medical Treatment 2009.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Medical Treatment 2009, Section(s): Opioids, criteria for use.

Decision rationale: The request is for the use of a medication in the opioid class. The MTUS guidelines state that for ongoing treatment with a pharmaceutical in this class, certain requirements are necessary. This includes not only adequate pain control, but also functional improvement. Four domains have been proposed for management of patients on opioids. This includes pain relief, side effects, physical and psychosocial functioning, and the occurrence of any potentially aberrant drug-related behaviors. In this case, there is inadequate documentation of persistent functional improvement which should eventually lead to medication discontinuation. As such, the request is not medically necessary. All opioid medications should be titrated down slowly in order to prevent a significant withdrawal syndrome.

Oxycodone 5mg quantity unspecified: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Medical Treatment 2009.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Medical Treatment 2009, Section(s): Opioids, criteria for use.

Decision rationale: The request is for the use of a medication in the opioid class. The MTUS guidelines state that for ongoing treatment with a pharmaceutical in this class, certain requirements are necessary. This includes not only adequate pain control, but also functional improvement. Four domains have been proposed for management of patients on opioids. This includes pain relief, side effects, physical and psychosocial functioning, and the occurrence of any potentially aberrant drug-related behaviors. In this case, there is inadequate documentation of persistent functional improvement which should eventually lead to medication discontinuation. As such, the request is not medically necessary. All opioid medications should be titrated down slowly in order to prevent a significant withdrawal syndrome.

Prilosec 20mg quantity 60: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Medical Treatment 2009.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Medical Treatment 2009, Section(s): NSAIDs, GI symptoms & cardiovascular risk.

Decision rationale: The request is for the use of a medication in the class of a proton pump inhibitor. It is indicated for patients with peptic ulcer disease. It can also be used as a preventative measure in patients taking non-steroidal anti-inflammatories for chronic pain. Unfortunately, they do have certain side effects including gastrointestinal disease. The MTUS guidelines states that patients who are classified as intermediate or high risk, should be treated prophylactically. Criteria for risk are as follows: "(1) age > 65 years; (2) history of peptic ulcer, GI bleeding or perforation; (3) concurrent use of ASA, corticosteroids, and/or an anticoagulant; or (4) high dose/multiple NSAID (e.g., NSAID + low-dose ASA)". Due to the fact the patient does not meet to above stated criteria, the request for use is not medically necessary.